

Thermal container 26



Characteristics

Capacity 26 lt (0,92 cu ft)

External Dimensions (W x D x H) cm 41 x 31 x 42

Dimensioni interne (L x P x H) cm 31 x 22,5 x 33; Peso kg 3,4

Structure and Insulation Atoxic plastic material int./est., thickness 25 mm

Door nr 1 lid

Handle n.1

Weight 3,4 Kg

Technical data

Package Strong Cardboard

note *Model, availability and features may change with no notice*

Accessories

Cold Accumulator

C.F. di Ciro Fiocchetti & C. s.n.c.

Via Panagulis, 48 - 42045 Luzzara (RE) Italy
 Tel. +39 0522 976232- Fax +39 0522 976028
 info@fiocchetti.it - www.fiocchetti.it
 P.I.00934960352
 Registro A.E.E. IT8020000002833

Thermal container 30



Characteristics

Capacity	30 lt (1,06 cu ft)
External Dimensions (W x D x H)	cm 41 x 31 x 46
	<i>Internal Dimensions (W x D x H) cm 31 x 22,5 x 36,7; Weight kg 3,6</i>
Structure and Insulation	Atoxic plastic material int./est., thickness 30 mm
Door	nr 1 lid
Handle	n.1
Weight	3,6 Kg

Technical data

Package	Strong Cardboard
note	<i>Model, availability and features may change with no notice</i>

Accessories

Cold Accumulator

C.F. di Ciro Fiocchetti & C. s.n.c.

Via Panagulis, 48 - 42045 Luzzara (RE) Italy
 Tel. +39 0522 976232- Fax +39 0522 976028
 info@fiocchetti.it - www.fiocchetti.it
 P.I.00934960352
 Registro A.E.E. IT8020000002833

Thermal container 48



Characteristics

Capacity	46 lt (1,62 cu ft)
External Dimensions (W x D x H)	cm 65 x 36 x 36
	<i>Internal Dimensions (W x D x H) cm 50 x 25 x 29; Weight kg 3,4</i>
Structure and Insulation	Atoxic plastic material int./est., thickness 30 mm
Door	nr 1 lid
Handle	n.2 sliding
Weight	3,4 Kg

Technical data

Package	Strong Cardboard
note	<i>Model, availability and features may change with no notice</i>

Accessories

Cold Accumulator

C.F. di Ciro Fiocchetti & C. s.n.c.

Via Panagulis, 48 - 42045 Luzzara (RE) Italy
 Tel. +39 0522 976232- Fax +39 0522 976028
 info@fiocchetti.it - www.fiocchetti.it
 P.I.00934960352
 Registro A.E.E. IT8020000002833

T28



Characteristics

Capacity	28 lt (0,98 cu ft)
External Dimensions (W x D x H)	cm 41 x 33 x 47
	<i>Internal Dimensions (W x D x H) cm 33,8 x 24 x 34; Weight kg 3,8</i>
Structure and Insulation	Atoxic polypropylene int./est.
Door	n.1 lid
Handle	n.1 hergonomic handle
Refrigeration Type	Static - Peltier system : it cools approximately -19°C from Ambient T
Mains Voltage	230V/1/50Hz - 12V with transformer Battery control system (for 12V source)

Technical data

Package	Strong cardboard
note	<i>Model, availability and features may change with no notice</i>

Accessories

Cold Accumulator

C.F. di Ciro Fiocchetti & C. s.n.c.
 Via Panagulis, 48 - 42045 Luzzara (RE) Italy
 Tel. +39 0522 976232- Fax +39 0522 976028
 info@fiocchetti.it - www.fiocchetti.it
 P.I.00934960352
 Registro A.E.E. IT8020000002833